IN THE CLAIMS

Please amend the claims as indicated below:

1. (currently amended) A method of optimizing ~~the~~ compiled code generated from high level computer programming languages, wherein the compiled code includes ~~which include~~ loop constructs, the method comprising the steps:

(1) providing a non-optimized loop code segment corresponding to ~~with~~ a loop construct written in a high level programming language, wherein in the non-optimized loop code segment ~~in which~~ the loop construct is executed a loop repetition number of times *n* and the non-optimized loop code segment includes a call to a procedure, the call depending on a number of arguments, wherein the call invokes the procedure only if a certain condition is met and wherein the certain condition includes one of the arguments being less than another one of the arguments;

(2) providing execution conditions required to cause execution of the loop construct the loop repetition number of times *n*;

(3) optimizing the non-optimized loop code segment for the execution conditions to provide a consolidated code segment corresponding with the execution conditions for execution of the loop said loop repetition number of times *n*, wherein the consolidated code includes certain code of the non-optimized loop code segment and omits certain other code of the non-optimized loop code segment and wherein the call is omitted from the consolidated loop code segment if the execution conditions indicate the certain condition is not met;

(4) determining whether the consolidated code segment should be executed in preference to the ~~corresponding~~ non-optimized loop code segments ~~before said optimization~~; and

(5) if said determination is favourable, including the consolidated code segment in optimized code for a program written in the high level programming language.

2. (currently amended) A method of optimizing the compiled code generated from high level computer programming languages, wherein the compiled code includes ~~which include~~ loop constructs, the method comprising the steps:

(1) providing a non-optimized loop code segment corresponding to ~~with~~ a loop construct written in a high level programming language, wherein in the non-optimized loop code

PAGE 6/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52

segment ~~in which~~ the loop construct is executed a loop repetition number of times *n* and the non-optimized loop code segment includes a call to a procedure, the call depending on a number of arguments, wherein the call invokes the procedure only if a certain condition is met and wherein the certain condition includes one of the arguments being less than another one of the arguments;

(2) providing a non-optimized pre-loop code segment corresponding to ~~with~~ programming instructions preceding the loop construct, and a non-optimized post-loop code segment corresponding to ~~with~~ instructions succeeding the loop construct;

(3) providing execution conditions required to cause execution of the loop construct the loop repetition number of times *n*;

(4) revising the non-optimized pre-loop, loop and post-loop code segments to include the execution conditions; and

(5) optimizing the non-optimized pre-loop, loop and post-loop code segments for the execution conditions to provide a consolidated code segment corresponding with the execution conditions for execution of the loop said loop repetition number of times *n*, wherein the consolidated code includes certain code of the non-optimized loop code segment and omits certain other code of the non-optimized loop code segment and wherein the call is omitted from the consolidated loop code segment if the execution conditions indicate the certain condition is not met;

(6) determining whether the consolidated code segment should be executed in preference to the ~~corresponding~~ non-optimized code segments ~~before said optimization~~; and

(7) if said determination is favourable, including the consolidated code segment in optimized code for a program written in the high level programming language.

3. (currently amended) The method as claimed in claim 1, wherein said determination involves a cost-benefit analysis to determine whether ~~there~~ the cost of using the consolidated code segment is reduced by a predetermined threshold compared with not using the consolidated code segment.

PAGE 7/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52

4. (original) The method as claimed in claim 1, wherein the inclusion of said consolidated code segment in the optimized code is conditional on the occurrence of the execution conditions.

5. (original) The method as claimed in claim 1, wherein said loop constructs includes any one or more of the following loop constructs: for loops, while loops, repeat loops.

6. (original) The method of claim 1, wherein said steps (1) to (5) are repeated a predetermined number of times k, for values of the loop repetition number n from 0 to k-1.

7. (currently amended) The method as claimed in claim 2, wherein said determination involves a cost-benefit analysis to determined whether ~~there~~ the cost of using the consolidated code segment is reduced by a predetermined threshold compared with not using the consolidated code segment.

8. (original) The method as claimed in claim 2, wherein the inclusion of said consolidated code segment in the optimized code is conditional on the occurrence of the execution conditions.

9. (original) The method as claimed in claim 2, wherein said loop constructs includes any one or more of the following loop constructs: for loops, while loops, repeat loops.

10. (original) The method of claim 2, wherein said steps (1) to (7) are repeated a predetermined number of times k, for values of the loop repetition number n from 0 to k-1.

11. (currently amended) A compiler for optimizing the compiled code generated from high level computer programming languages, wherein the compiled code includes ~~which include~~ loop constructs, the compiler being embodied on a computer-readable medium, the compiler comprising:

(1) compiler code means for providing a non-optimized loop code segment corresponding to ~~with~~ a loop construct written in a high level programming language, wherein in

PAGE 8/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52

the non-optimized loop code segment ~~in which~~ the loop construct is executed a loop repetition number of times *n* and the non-optimized loop code segment includes a call to a procedure, the call depending on a number of arguments, wherein the call invokes the procedure only if a certain condition is met and wherein the certain condition includes one of the arguments being less than another one of the arguments;

(2) compiler code means for providing execution conditions required to cause execution of the loop construct the loop repetition number of times *n*;

(3) compiler code means for optimizing the non-optimized loop code segment for the execution conditions to provide a consolidated code segment corresponding with the execution conditions for execution of the loop said loop repetition number of times *n*, wherein the consolidated code includes certain code of the non-optimized loop code segment and omits certain other code of the non-optimized loop code segment and wherein the call is omitted from the consolidated loop code segment if the execution conditions indicate the certain condition is not met;

(4) compiler code means for determining whether the consolidated code segment should be executed in preference to ~~the corresponding~~ non-optimized code segments ~~before said optimization~~; and

(5) compiler code means for including the consolidated code segment in optimized code for a program written in the high level programming language, if said determination is favourable.

12. (currently amended) A compiler for optimizing the compiled code generated from high level computer programming languages wherein the compiled code includes ~~which include~~ loop constructs, the compiler being embodied on a computer-readable medium, the compiler comprising:

1) compiler code means for providing a non-optimized loop code segment corresponding to ~~with~~ a loop construct written in a high level programming language, wherein in the non-optimized loop code segment ~~in which~~ the loop construct is executed a loop repetition number of times *n* and the non-optimized loop code segment includes a call to a procedure, the call depending on a number of arguments, wherein the call invokes the procedure only if a

PAGE 9/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52

certain condition is met and wherein the certain condition includes one of the arguments being less than another one of the arguments;

2) compiler code means for providing a non-optimized pre-loop code segment corresponding with programming instructions preceding the loop construct, and a non-optimized post-loop code segment corresponding with instructions succeeding the loop construct;

3) compiler code means for providing execution conditions required to cause execution of the loop construct the loop repetition number of times *n*;

4) compiler code means for revising the non-optimized pre-loop, loop and post-loop code segments to include the execution conditions; and

5) compiler code means for optimizing the non-optimized pre-loop, loop and post-loop code segments for the execution conditions to provide a consolidated code segment corresponding with the execution conditions for execution of the loop said loop repetition number of times *n*, wherein the consolidated code includes certain code of the non-optimized loop code segment and omits certain other code of the non-optimized loop code segment and wherein the call is omitted from the consolidated loop code segment if the execution conditions indicate the certain condition is not met;

6) compiler code means for determining whether the consolidated code segment should be executed in preference to the non-optimized ~~corresponding~~ code segments ~~before said optimization~~; and

7) compiler code means for including the consolidated code segment in optimized code for a program written in the high level programming language, if said determination is favourable.

13. (currently amended) The compiler as claimed in claim 11, wherein said determination involves a cost-benefit analysis to determined whether ~~there~~ the cost of using the consolidated code segment is reduced by a predetermined threshold compared with not using the consolidated code segment.

PAGE 10/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52

14. (original) The compiler as claimed in claim 11, wherein the inclusion of said consolidated code segment in the optimized code is conditional on the occurrence of the execution conditions.

15. (original) The compiler as claimed in claim 11, wherein said loop constructs includes any one or more of the following loop constructs: for loops, while loops, repeat loops.

16. (original) The compiler of claim 11, wherein said steps (1) to (5) are repeated a predetermined number of times k, for values of the loop repetition number n from 0 to k-1.

17. (currently amended) The compiler as claimed in claim 12, wherein said determination involves a cost-benefit analysis to determined whether ~~there~~ the cost of using the consolidated code segment is reduced by a predetermined threshold compared with not using the consolidated code segment.

18. (original) The compiler as claimed in claim 12, wherein the inclusion of said consolidated code segment in the optimized code is conditional on the occurrence of the execution conditions.

19. (original) The compiler as claimed in claim 12, wherein said loop constructs includes any one or more of the following loop constructs: for loops, while loops, repeat loops.

20. (original) The compiler of claim 12, wherein said steps (1) to (7) are repeated a predetermined number of times k, for values of the loop repetition number n from 0 to k-1.

PAGE 11/14 * RCVD AT 11/16/2004 9:06:33 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/2 * DNIS:8729306 * CSID:512 322 0211 * DURATION (mm-ss):04-52